## SHARP Health Plan

Women (18 years and older)1

## **Preventive Care Checklist**

No matter how healthy you are today, having a discussion with your doctor about preventive care can make a difference in the long run — for you and the people you care about. Discuss your checklist with your doctor to develop your own personalized preventive care plan. Your doctor will help you determine which tests and health screenings are best for you based on your age, gender, health status and family history.<sup>1</sup>

Visits			
Welcome to Medicare preventive visit (once during first 12 months with Part B)		18 and older	
Annual Wellness Visit (does not include physical exam)		18 and older	0
Vaccines			
Flu (each flu season)		18 and older	
Hepatitis B (those with medium to high risk)		18 and older <sup>2</sup>	0
Pneumococcal		over 65 or younger with risk factors	
COVID-19		18 and older	$\bigcirc$
Shingrix series (once)		50 and older <sup>3</sup>	
Diphtheria, tetanus and pertussis (every 10 years)		18 and older <sup>3</sup>	$\bigcirc$
Screenings			
Abdominal aortic screening ultrasound		18 and older <sup>4</sup>	
Colorectal cancer screening, may include one or more of the following:			
Fecal occult blood tests (once every 12 months)	<ul> <li>Barium enemas (once every 48 months)</li> </ul>		
<ul> <li>Flexible sigmoidoscopies (once every 48 months, or 120 months after previous screening colonoscopy)</li> </ul>	<ul> <li>Multi-target stool DNA test / Cologuard (once every 3 years with no symptoms and average risk)</li> <li>Blood-based markers, if available</li> </ul>	50 and older	
Colonoscopy (once every 120 months, or every 24 months if high risk, or 48 months after screening flexible sigmoidoscopy)	(once every 3 years with no symptoms and average risk)		

## Women's preventive care checklist, continued<sup>1</sup>

Screenings		
Diabetes screening (2 per year with risk factors)	18 and older with risk factors	
Glaucoma screening (every 12 months)	18 and older with risk factors	
HIV screening (every 12 months)	15–65 or at high risk	
Lung cancer screening with low-dose CT (once yearly)	55–77 with risk factors	
Mammogram: baseline between age 35-39, then 40 and older yearly	35–39: once 40+: yearly	
Cervical & vaginal cancer screening (every 24 months, or if high risk, or if childbearing age every 12 months)	18 and older	
HPV screening (every 5 years)	30-65	
Bone mass measurements (every 24 months)	over 65 or younger with certain risk factors	
Alcohol misuse counseling (PCP)	18 and older	
Cardiovascular behavioral therapy (PCP) includes blood pressure, diet advice and discussion to lower risk for heart attacks and stroke	18 and older	
Cardiovascular disease screening (once every 5 years, including cholesterol, lipid and triglyceride levels)	18 and older	
Tobacco prevention and counseling	18 and older	0
Depression screening yearly (PCP)	18 and older	
Hepatitis B screening tests if high risk (PCP)	18 and older	0
Hepatitis C screening tests (yearly if high risk, one time if born 1945–1965 or if you had a blood transfusion before 1992)	18 and older	
Obesity behavioral therapy (PCP)	18 and older	
Sexually transmitted infection screen and counseling (PCP)	18 and older	

<sup>&</sup>lt;sup>1</sup> The information in this guide includes recommendations adapted from the following sources as of November 2022 and is subject to change: preventive services with a rating of A or B from the U.S. Preventive Services Task Force; immunization for children, adolescents and adults recommended by the Centers for Disease Control and Prevention; and preventive care screenings for infants, children, adolescents and women supported by the Health Resources and Services Administration. <sup>2</sup> With certain conditions. <sup>3</sup> May have a cost share or copay. <sup>4</sup> Cost share or copay applies.